

Workplace Safety Solutions



AED



Powered Air Purifying Respirator



Respiratory Protection



Eyewear / Face Protection



Fall Protection



Fire Protection



Slip-Resistant



Neoprene Pavement Graphics



Head Protection



Hearing Protection



Hand Protection



Personal Protective Clothing



Foot Protection





Printers




EPSON
EXCEED YOUR VISION

Chemical GHS Logo



Wire & Cable Markers



Vinyl Tubing with Half Cut Function





Heat Shrink Tubing



Polyester Tape Label

MAX

Signs & Label



MAX

BRADY
WHEN PERFORMANCE MATTERS MOST

Customise Pipe & Valve Identification



Lock Out & Tag Out



Ear Fit Test & Respiratory Fit Test



Lim Kim Hai Electric Co (S) Pte Ltd
Lim Kim Hai Building,
53 Kallang Place, Singapore 339177

T (+65) 6490 5000
F (+65) 6297 0078
E customerservice@limkimhai.com.sg
W www.limkimhai.com.sg

Midori Anzen Safety Shoes



NO.1

SAFETY SHOES IN JAPAN

WALKING COMFORT AND SAFETY

- Aerospace
- Automotive
- Construction
- Marine
- Cleanroom
- Laboratory



Scan for more product details



Hi-Grip Under Oily Conditions



Sneaker Safety Shoes



Safety Shoes



Cleanroom/ Lab Shoes



Nitti Safety Footwear



PROTECTION | COMFORT | DURABILITY

- Aerospace
- Automotive
- Construction
- Marine
- Mining
- Oil & Gas



Low Cut Range



Mid Cut Range



High Cut Range

HOT & HUMID WEATHER

DRY WORK ENVIRONMENT

HARSH INDUSTRIAL ENVIRONMENT



Scan for more product details



3-Ply Disposable Medical Mask



ASTM Level 2 | CE DoC | PSB Certified | EN14683 Type IIR Standards

Contact Us To Request for Certification Proof!



HSA License No: E50500953




PSB Singapore



Scan for more product details

THREE-LAYER FILTRATION
Dust and Germ Protection
BFE >99% • PFE >99%



Self Illuminated Exit Sign

SS 563 : 2010

SS 508 : 2013


ISO7010: 2011

*Comply with regulatory requirements of NEA and SCDF

SLS & SAC CERTIFIED

- Powerless (No AC power required)
- Save Replacement & Installation Cost
- Zero Operating Cost
- Zero Energy Consumption
- Absolute Reliability
- Suitable for Underwater Conditions
- Ideal for Hazardous Environment

* Products to be returned to Lim Kim Hai Electric upon end of life for proper disposal.



Product Certification

β -Glow[®] signs are tested and certified to **UL 924:2006** standard

* UL Listed with Underwriter Laboratories (File E-309512)

* STS Listed – Product Listing Scheme : ISO System 5 (Certificate No: 14A0092)

Contact us today at solutions@limkimhai.com.sg

Hotline: +65 6490 5000

Gas Detection Solution



PORTABLE GAS DETECTORS


Single Gas and Multi-Gas Monitors for Personal Monitoring and Portable Safety Applications.



Scan for more product details



3M™ Fire Protection



3M INTERAM™ ENDOTHERMIC MAT

Up to 4-hour Protection for Structural Steel and
Up to 3-hour Electrical Circuit Protection



Scan for more product details



Contact us today at solutions@limkimhai.com.sg

Hotline: +65 6490 5000

3M™ Quat Disinfectant Cleaner (Ready to use)



Product Details

- EPA registered quaternary disinfectant cleaner for use in hospitals
- Effective against HIV-1, MRSA, VRE, herpes simplex I and II and other pathogens
- Inhibits the growth of mold and mildew, and their odors, when used as directed.
- Proven “one-step” disinfectant / cleaner
- Rinse-free in one labour-saving step
- Has a pleasant fragrance
- Volumes Available: 650ml (Most Popular), 4 Litre, 20 Litre

Applications: Most washable surfaces, including windows, glass, mirrors, carpets, floors and walls

❖ **Easy To Use** ❖ **Clean & Safe Environment** ❖ **Less Frequent Disinfecting** ❖ **Cost Savings**



- ❖ The door is applied with Quat Disinfectant Cleaner using mist spray or blower machine and then air-dried (Treated surfaces can be wipe dry with a cloth, sponge, mop or allow to air dry)
- ❖ A Walk - Behind Scrubber and Dryer machine is used to disperse Quat Disinfectant Cleaner and then scrub and dry the floor.

Test Result

	Before Cleaning	After Cleaning
Floor	1397 RLU	103 RLU ↓
Door	339 RLU	140 RLU ↓


* Relative Light Unit (RLU) is a unit for measuring cleanliness by measuring the levels of Adenosine Triphosphate.



Lim Kim Hai Electric Co (S) Pte Ltd
Lim Kim Hai Building,
53 Kallang Place, Singapore 339177

www.limkimhai.com.sg

 Contact us today at solutions@limkimhai.com.sg

 Hotline: +65 6490 5000