

Smart Cutter

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



- For automatically cutting individual wires to length
- High repeat accuracy due to the precise servo DC drive
- Interface for controlling the automatic cutter via an IBM-compatible PC

General ordering data

Version	Automatic machines, Cutting machine
Order No.	7760865003
Type	Smart Cutter
GTIN (EAN)	6944 1698 185 16
Qty.	1 pc(s).
Local product	Only available in certain countries

Creation date June 7, 2024 5:52:31 AM CEST

Catalogue status 01.06.2024 / We reserve the right to make technical changes.

Smart Cutter

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

General ordering data

Local product	Only available in certain countries
---------------	-------------------------------------

Dimensions and weights

Depth	302 mm	Depth (inches)	11.89 inch
Height	231 mm	Height (inches)	9.094 inch
Width	360 mm	Width (inches)	14.173 inch
Net weight	17,000 g		

Automatic cutting

Aperture (max. diameter)	8 mm outer diameter	Display	color touchscreen
Drive	electrical	Electrical connection	100 - 240 V AC / 50/60 Hz
Feeding speed, max.	1 m/s	Flexible/solid individual conductors	max. 10 mm ² / max. 2.5 mm ²
Length pre-selection, max.	999,999 mm	Length pre-selection, min.	1 mm
Storage	Up to 2000 cutting orders		

Classifications

ETIM 6.0	EC002778	ETIM 7.0	EC002778
ETIM 8.0	EC002778	ETIM 9.0	EC002778
ECLASS 9.0	17-13-01-01	ECLASS 9.1	17-13-01-03
ECLASS 10.0	17-13-01-03	ECLASS 11.0	17-13-01-01
ECLASS 12.0	17-13-01-01	ECLASS 13.0	17-13-01-01

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

User Documentation	Catalogue
Catalogues	Catalogues in PDF-format

Smart Cutter

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

