



 PRODUCT-DETAILS

Terra CE 184 CC 6N2-7M-H-0

Terra CE 184 CC 6N2-7M-H-0 Terra 180 kW charger, CCS 2 + CCS 2, 6 m cables 200 A, HC upgradeable, CE



General Information

| | |
|-------------------------------|---|
| Extended Product Type | Terra CE 184 CC 6N2-7M-H-0 |
| Product ID | 6AGC105090 |
| Alternative Product Reference | 3Q2299G3000A |
| Catalog Description | Terra CE 184 CC 6N2-7M-H-0 Terra 180 kW charger, CCS 2 + CCS 2, 6 m cables 200 A, HC upgradeable, CE |
| Long Description | Terra 184 EV charger, 180 kW output power, 150-920 V, two CCS 2 200 A connectors, 6 m long cables, 7" touch-display, RFID reader, 3G/4G modem, High Current, CE |

Technical

| | |
|--|------------------|
| EV Connectors | (CCS 2) 2 piece |
| Number of Socket Outlets | No socket outlet |
| Cable Length | 6 m |
| Output Power | DC 180 kW |
| Output Voltage (U _{out}) | 200 ... 920 V |
| Output Current Maximum (I _{out}) | DC 200 A |
| Connection Power | 198 kW |

| | |
|--|--|
| Input Voltage (U _{in}) | AC 3-phase 380 ... 415 V |
| Input Current | AC 3-phase 288 A |
| Frequency (f) | 50 ... 60 Hz |
| Current Type | DC |
| Number of Phases | 3 |
| Number of RCDs Electric Vehicle Supply Equipment | Type A 2 piece |
| Number of Miniature Circuit Breakers (MCBs) | 2 |
| Ambient Air Temperature | Operation -25 ... +70 °C Storage -40 ... +80 °C |
| Maximum Operating Altitude Permissible | Without Derating 2500 m |
| Communication Interface | 4G Ethernet |
| Communication Protocol | OCPP 1.6 |
| Load Management Method | OCPP - Based |
| Authentication Method | RFID NFC Pincode App |
| Energy Meter Type | DC |
| Screen Size | 7 in |
| Mounting Type | Floor fastening |
| Housing Material | Steel |
| Degree of Protection | acc. to IEC 60529 IP54 |
| Impact Resistance Rating | Housing IK10 Display IK08 |

Dimensions

| | |
|--------------------------------|---------------------|
| Product Net Width | 0.565 m |
| Product Net Depth / Length | 0.880 m |
| Product Net Height | 1.90 m |
| Product Net Weight | 390 kg |
| Package Level 1 Units | euro pallet 1 piece |
| Package Level 1 Width | 0.80 m |
| Package Level 1 Height | 2.15 m |
| Package Level 1 Depth / Length | 1.20 m |
| Package Level 1 Gross Weight | 405 kg |

Ordering

| | |
|-------------------------|---------------------------------------|
| Country of Origin | Italy (IT) |
| Customs Tariff Number | 85044060 |
| Selling Unit of Measure | piece |
| Minimum Order Quantity | 1 piece |
| ETIM 9 | EC002883 - Charging device E-Mobility |

Additional Information

RoHS Status

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

WEEE Category

4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Electric Vehicle Charging → DC Charging Products → All-in-One DC Chargers 90-180 kW, CE (Terra 94, 124, 184)

